EXHIBIT A

CLAIM CONSTRUCTION CHART

U.S. Patent Nos. 5,715,314 and 5,909,492	
Claim Term, Phrase, or Clause	Court's Construction
A statement URL	A URL concerning a statement
Computer	A functional unit that can perform substantial computation, including numerous arithmetic operations, or logic operations without human intervention
Connected to	Having a link to to send or receive data
Database	A collection of logically related data stored together in one or more computerized files
Document(s)	Any type of digital data
Hypertext link	A non-sequential web association which the user can use to navigate through related topics
Interconnected by a [computer network, a public packet switched computer network]	To be connected by a [computer network, a public packet switched computer network]
Message	A unit of information sent electronically
Modif[y] [the shopping cart in the shopping cart database]	To change [an instance of a shopping cart in a shopping cart database]
Payment message	A message relating to a payment for one or more products
Plurality of products added to shopping cart / [Add a] plurality of respective products to a shopping cart / [add] plurality of products to shopping cart	Product identifiers which are added to an instance of a shopping cart in the shopping cart database / [add] identifiers of respective products to an instance of a shopping cart / [add] identifiers of products to an instance of a shopping cart
Product(s)	Anything that can be advertised, sold, and provided to a purchaser

U.S. Patent Nos. 5,715,314 and 5,909,492	
Claim Term, Phrase, or Clause	Court's Construction
Public packet switched computer network	A packet switched computer network, accessible by the public through communication common carriers to provide data transmission services.
	"Packet switching" means a message-delivery technique in which small units of information (packets) are relayed through stations in a computer network preferably along the best route available between the source and the destination.
	"Public data network" is a network established and operated by common carriers for the specific purpose of providing low error-rate data transmission services to the public.
Record[] in a database	Store[] in a database
Shopping cart	A stored representation of a collection of products
Shopping cart computer	A computer processing data associated with one or more shopping carts
Shopping cart database	A database of stored representations of collections of products, where "database" means a collection of logically related data stored together in one or more computerized files
Shopping cart message	A message concerning a shopping cart
Statement document comprising the purchase transaction records	A document that includes purchase transaction records
To cause said[/the/a] payment message to be activa ted to initiate a payment transaction	To cause an action associated with said[/the/a] payment message to initiate a payment transaction
Transaction detail hypertext link	Hypertext link to transaction detail
Transmit[ting/ed]	To send information over a communications channel

U.S. Patent Nos. 7,272,639	
Claim Term, Phrase, or Clause	Court's Construction
A purchase request / a request to purchase	One or more messages requesting a purchase
Charging the user according to the user information	Charging an account associated with the user according to the user information
Creating, responsive to the initial service request, the session identifier	Producing, in response to the initial service request, the session identifier
Forwarding from the client to the server system	Sending from the client to the server system
Fulfilling the purchase request based on the user information	Carrying out the purchase request based on the user information
Hypertext transfer protocol	Also known as HTTP, the client/server protocol used to access information on the World Wide Web
Initial service request	The first service request in a session
Returning	Sending back
Service request	A solicitation of services from a client to a server. A service request may entail the exchange of any number of messages between the client and the server
Session	A series of requests and responses to perform a complete task or set of tasks between a client and a server system
Session identifier	A text string that identifies a session
User identifier	A text string that identifies a user
Validating, at the server system, the appended session identifier / validating the session identifier appended to the service request	At the server system, determining the validity of the appended session identifier